

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Triad Hunter, LLC Operator Well No.: James Reed (Phillips) #20955

LOCATION: Elevation: 1191' gps Quadrangle: Newton
District: Henry County: Clay
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS water inj.

Company Triad Hunter, LLC
125 Putnam St.
Marietta, Ohio 45750

Coal Operator na
or Owner _____

Coal Operator na
or Owner _____

Agent Kim Arnold

Permit Issued Date May 08, 2014

RECEIVED
Office of Oil and Gas

APR 01 2015

AFFIDAVIT

WV Department of
Environmental Protection

STATE OF WEST VIRGINIA,
County of Clay ss:

Rick Duckworth and Robert Stewart being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 09th day of March, 2015, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
cement	2220'	1970'	0	2200' of 4 1/2
cement	1241'	1141'		
cement	100'	0		

Description of monument: 4 1/2 pipe with API # on attached plate
said well was completed on the 11th day of March, 2015.

and that the work of plugging and filling


And further deponents saith not.

Rick Duckworth
Robert Stewart

Sworn and subscribe before me this 11 day of March, 2015

My commission expires: 10-25-2023

Brian Marks
Notary Public



Inspector
Did Not witness all plugs

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL & GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm Name: J. L. Hall Operator Well No.: 1
Location: Elevation: 1099' Quadrangle: Fairmont West 7.5'
District: Clay County: Harrison
Latitude: _____ Feet South of: _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of: _____ Deg. _____ Min. _____ Sec.
Well Type: Oil X Gas _____ WIW _____
Company: HG Energy, LLC Coal Operator or Owner: Wolf Run Mining
5260 Dupont Road 2708 Cranberry Square
Parkersburg, WV 26101 Morgantown, WV 26505
Agent: Diane White Coal Operator or Owner: NA
Permit Issued: 11/24/14

AFFIDAVIT

State of West Virginia, County of Wood ss:

Roger Heldman and Mike Lamp being first duly sworn according to law, depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26th day of January, 20 15 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED		LEFT
Cement	2011'	1891'	5 3/16"	1315'	467'
Cement	1840'	1740'	6 5/8"	396'	1080'
Cement	1535'	1435'	10"	20'	146'
Cement	1365'	1265'			
Cement	1100'	900'			
Cement	450'	350'			
Cement	150'	0			
6% Gel Between Cement Plugs					

Description of monument: 7"x20' and that the work of plugging and filling said well was completed on the 9th day of March, 20 15


And further deponents saith not.

Sworn and subscribed before me this 9th day of March, 20 15
My commission expires: Oct. 4, 2016

Notary Public

Affidavit reviewed by the
Office of Oil and Gas:

Title:



AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL COMPANY
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL COMPANY
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
JEFFREY H. MICHAEL
Lease or Property Owner
PO BOX 221, MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5255
Well No.
MICHAEL, JEFFREY H.
Farm

STATE INSPECTOR SUPERVISING PLUGGING

[Signature]

3-26-15

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

DELBERT MOORE and **KEVIN S. WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 20th day of November, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/4" hole from Surface to 245'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 245' to 1073'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1073' to 1478'. Reduced hole to 6 1/2". Cleaned 6 1/2" hole from 1478' to 1490'. Tagged solid plug at 1490'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 752' to 758'. Left 110' of 10 3/4" casing in the hole from 286' to 396'. Left 20' of 16" conductor casing in the hole from Surface to 20'. <u>Cemented hole from 1490' back to the Surface as follows:</u> From 1490' to 958' with 161 sacks of Expandable Cement. From 958' to 652' with 185 sacks of Thixotropic Cement with green dye. From 652' back to the Surface with 329 sacks of Expandable Cement. Cement did circulate at the Surface.	16"	0'	20'	
	10 3/4"	0'	110'	
		RECEIVED Office of Oil and Gas MAR 30 2015 WV Department of Environmental Protection		
Coal Seams		Description of Monument		
Pittsburgh	(752' – 758')	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

RECEIVED
Office of Oil and Gas
MAR 30 2015
WV Department of
Environmental Protection

... and that the work of plugging and filling said well was completed on the 12th day of December, 2014.

And further deponents saith not.


[Signature]
Delbert Moore

[Signature]
Kevin S. Wright

Sworn to and subscribed before me this 26 day of March 2015

[Signature]
Notary Public

My commission expires: 11/4/2015



Permit No. 47-049-02383-P
Well No. 5255

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Address
JAMES WOOD
Lease or Property Owner
106 HILLTOP LN. CAMERON, WV 26033
Address

MCELROY COAL COMPANY
Name of Well Operator
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Complete Address
CAMERON WV-PA 7.5'
Well Location
CAMERON
District
MARSHALL
County
M-1330
Well No.
HIGHLAND CEMETARY ASSOC.
Farm

STATE INSPECTOR SUPERVISING PLUGGING

James Nicholas
AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MICHAEL CAMPBELL and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 24th day of October, 2014 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Formation				
Removed 2336' of 4 1/2" casing from Surface to 2336'. Left an unknown amount of 4 1/2" casing in the hole from 2336' to an unknown depth. Perforated remaining 4 1/2" casing at the following depths: 3319', 3210', 3119', 3019', 2910', 2819', 2719', 2610', 2570', and 2419'. Cemented bottom hole plug from 3419' to 2032' with 130 sacks of Expandable Cement. Removed 1376' of 7" casing from Surface to 1376'. Left 642' of 7" casing in the hole from 1376' to 2018'. Cut remaining 7" casing at the following depths: 1860', 1755', 1668', 1564', and 1462'. Removed 987' of 8 5/8" casing from Surface to 987'. Left 299' of 8 5/8" casing in the hole from 987' to 1286'. Cut remaining 8 5/8" casing at the following depths: 1236', 1185', 1136', 1082', and 1036'. Cleaned 9 7/8" hole from Surface to 987'. Tagged top of 8 5/8" casing at 987'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 987' to 1376'. Tagged top of 7" casing at 1376'. Reduced hole to 6 1/4". Cleaned 6 1/4" hole from 1376' to 2032'. Tagged bottom hole plug at 2032'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 912' to 919'. Left 20' of 16" conductor casing in the hole from Surface to 20'. <u>Cemented from the top of the bottom hole plug at 2032' back to the Surface as follows:</u> From 2032' to 1119' with 129 sacks of Expandable Cement. From 1119' to 812' with 125 sacks of Thixotropic Cement with dye. From 812' back to the Surface with 352 sacks of Expandable Cement. Cement did circulate at the surface.	16" Casing 8 5/8" 7" 4 1/2"	0' 987' 1376' 2336'	20' 299' 642' Unknown	
<div>RECEIVED Office of Oil and Gas MAR 30 2015 WV Department of Environmental Protection</div>				
Coal Seams		Description of Monument		
<u>Pittsburgh</u>	(912' - 919')	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to the cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 3rd day of December, 2014.


And further deponents saith not.

Michael Campbell
Michael Campbell
Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 19 day of January 2015

Kara Beth Forst
Notary Public

My commission expires: 11/4/23



Permit No. 47-51-00748-P
Well No. M-1330

WR-38
DATE:

53-00166P

STATE OF WEST VIRGINIA
DIVISION OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

Received
Office of Oil & Gas
MAR 30 2015

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name Fisher, Dolly&Ralph

Operator Well No.: Fisher Dolly 1-916 47-044-00166

LOCATION: Elevation: 850'
District: union County: Mason
Latitude: 38.755495 Feet South of Deg. Min. Sec. UTM 428006.3
Longitude: -81.828565 Feet West of Deg. Min. Sec. UTMN 4289970

Well Type: OIL GAS X

Company: Enervest Operating LLC
300 Capital Street Suite
Charleston WV 25301

Coal Operator
or Owner

Coal Operator
or Owner

Permit Issued Date: 11/5/14

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Mason

Randy Dustin and James R Slagle being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, sat that said work was commenced on the 13th day of Jan. 2015, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	4190'	3554'		
Cement	2650'	2450'		
Cement	1475'	1360'	1430' 4 1/2	3435' 4 1/2
Cement	920'	800'	860' 7 inch	1678' 7 inch
Cement	320'	220'		264' 9 5/8
Cement	100'	0		
Well T.D 4190 Jamie Stevens Approved this depth for plug	6%Gel Between cement plugs			
Erect a	Monument	With the	API and date attached	

Description of monument: 7inch in well with API number attached and that the work of plugging and filling said well was completed on the 9th day of Feb, 2015.

And further deponents saith not.

Sworn and subscribe before me this 10th day of February, 2015

My commission expires: April 3, 2015

Oil and Gas Inspector:

Date

Feb 25 2015

RECEIVED
Office of Oil and Gas

OFFICIAL SEAL
STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
DIVISION OF OIL AND GAS
P.O. BOX 218
Buckhannon WV 26201
My Commission Expires April 3, 2017

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

 ORIGINAL

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: ROWLAND LAND CO. Operator Well No.: ROWLAND LAND 17

LOCATION: Elevation: 452' Quadrangle: PILOT KNOB 7.5'
District: MARSH FORK County: RALEIGH
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company EQT PRODUCTION COMPANY Coal Operator ROWLAND LAND COMPANY, LLC
120 PROFESSIONAL PLACE or Owner 405 CAPITOL STREET, SUITE 609
BRIDGEPORT, WV 26330 CHARLESTON, WV 25301

Agent REX C. RAY Coal Operator PERFORMANCE COAL COMPANY/ALPHA NATURAL RESOURCES
Permit Issued Date 8/25/2014 or Owner 300 RUNNING RIGHT ROAD
JULIAN, WV 25521

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of KANAWHA ss:

ROGER McCOMAS and GARMIE LANDERS being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 14th day of JANUARY, 2015, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
GEL HOLE	SURFACE	5489'		
CEMENT	5489'	3500'	2014' - 7" PULLED	3573' - 7" LEFT
CEMENT	2426'	2300'	PERFED 4 1/2" 2366' - 2360'	
CEMENT	2086'	1964'		
CEMENT	1934'	1730'	PERFED 7" 1462' - 1457'	
CEMENT	1535'	1411'		
CEMENT	1043'	816'	PERFED 7" 931' - 927'	

Received
Office of Oil & Gas
MAR 31 2015

Description of monument: ERECT MONUMENT WITH API: 47-8100749 and that the work of plugging and filling said well was completed on the 10TH day of FEBRUARY, 2015.


And further deponents saith not.

Roger McComas
Garmie Landers

Sworn and subscribe before me this 10TH day of FEBRUARY, 2015

My commission expires: July 24 2023

[Signature]
Notary Public



Affidavit reviewed by the Office of Oil and Gas:

[Signature]

Title: Inspector

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

 ORIGINAL

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: ROWLAND LAND CO. Operator Well No.: ROWLAND LAND 17

LOCATION: Elevation: 452' Quadrangle: PILOT KNOB 7.5'
District: MARSH FORK County: RALEIGH
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company	<u>EQT PRODUCTION COMPANY</u>	Coal Operator	<u>ROWLAND LAND COMPANY, LLC</u>
	<u>120 PROFESSIONAL PLACE</u>	or Owner	<u>405 CAPITOL STREET, SUITE 609</u>
	<u>BRIDGEPORT, WV 26330</u>		<u>CHARLESTON, WV 25301</u>
Agent	<u>REX C. RAY</u>	Coal Operator	<u>PERFORMANCE COAL COMPANY/ALPHA NATURAL RESOURCES</u>
Permit Issued Date	<u>8/25/2014</u>	or Owner	<u>300 RUNNING RIGHT ROAD</u>
			<u>JULIAN, WV 25521</u>

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of KANAWHA ss:

ROGER McCOMAS and GARMIE LANDERS being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 14th day of JANUARY, 2015, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
CEMENT	513'	400'	PERFED 7" 501' - 497'	931' OF 9 5/8"
CEMENT	214'	SURFACE	PERFED 7" 200' - 196'; 51' - 49'	

Received
Office of Oil & Gas
MAR 31 2015

Description of monument: ERECT MONUMENT WITH API: 47-8100749 and that the work of plugging and filling said well was completed on the 10TH day of FEBRUARY, 2015.


And further deponents saith not.

Roger McComas
Garmie Landers

Sworn and subscribe before me this 10TH day of FEBRUARY, 2015

My commission expires: July 24 2023

[Signature]
Notary Public



Affidavit reviewed by the Office of Oil and Gas:

[Signature]

Title: Inspector

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL & GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm Name: L. S. Hoyt
Location: Elevation: 1444'
District: Grant
Latitude: 5200 Feet South of: 39 Deg. 37 Min. 30 Sec.
Longitude: 5900 Feet West of: 80 Deg. 37 Min. 30 Sec.
Operator Well No.: 107
Quadrangle: Pine Grove 7.5'
County: Wetzel
Well Type: Oil Gas WIW X
Company: HG Energy, LLC
5260 Dupont Road
Parkersburg, WV 26101
Coal Operator or Owner: Consol Energy
1000 Consol Energy Dr.
Cannonsburg, PA 16317
Agent: Diane White
Coal Operator or Owner: NA
Permit Issued: 12/12/14

AFFIDAVIT

State of West Virginia, County of Wood ss:

Timmy Morris and Sam VanDyne being first duly sworn according to law, depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 20th day of January, 20 15 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	3381'	3108'	4 1/2" - 1197'	4 1/2" - 2191'
Cement	1354'	1168'	8-5/8" - 0'	8-5/8" - 1381
Cement	105'	0'		
6% Gel Between Cement Plugs				

Description of monument: 7" x 20' and that the work of plugging and filling said well was completed on the 27th day of January, 20 15

And further deponents saith not.

Sworn and subscribed before me this

My commission expires: Oct. 4, 2016

Notary Public

Affidavit reviewed by the
Office of Oil and Gas:

Title: Oil & Gas Inspector

Received
Office of Oil & Gas

MAR 30 2015

